

RUSH ship tues 7

Work Order ID 70376

Monday, June 06, 2011 9:03:24 AM



Page 1

Item ID: D3874-2

Accept



Setup Start



Revision ID:

Stop



Item Name: Floor Protector

Start Date: 6/6/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 6/7/2011 Req'd Qty: 2.00



Customer:

Reference:

Approvals:

Process Plan: CL

Date: 11/06/06

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3874

A

100

0.00



HandThermo

Memo

0.00

Hand Finishing Thermoforming

1-Cut Sheet to required Blank size

23

11/06/07

105

0.00



HandThermo

Dry Material

Memo

0.00

Hand Finishing Thermoforming


Dry Sheet as per QSI022 POLYCARBONATE

Temp: 240° F

Time IN: 4:30 am 11/06/06

Time OUT: 7:00 am 11/06/07

11/06/07




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries





Work Order ID 70376

Monday, June 06, 2011 9:03:24 AM



Page 4

Item ID: D3874-2

Accept



Setup Start



Revision ID:

Stop



Item Name: Floor Protector

Start Date: 6/6/2011 Start Qty: 2.00



Cust Item ID:

Required Date: 6/7/2011 Req'd Qty: 2.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

170

Identify as per dwg & Stock Location: 191

0.00



Packaging

Memo

0.00

Packaging

11/6/7 SK 30

180

QC21 - Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/6/8 20
CLU/06/08



Picklist Print

Monday, June 06, 2011 9:03:22 AM

Page 1

Work Order ID: 70376



Parent Item: D3874-2



Parent Item Name: Floor Protector

Start Date: 6/6/2011

Required Date: 6/7/2011

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev. A 09.02.06 New Issue DL
Add Step 105 Dry Material 10/04/21 DL

IPP Rev B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

MLEXS.118-90318-08

Purchased

No

100

sf

2,100.005

4.38

8.76



Lexan Sheet

Location

Loc Qty

Loc Code

therm


2100.00578

2100.00578


113127

13.14 sq ft

Wt
u/oz/oz



D3874-1 FLOOR PROTECTOR



D3874-2 FLOOR PROTECTOR

CL11/06/06
W/O. 70376

RELEASED
09/01/29

A	NEW ISSUE	PH	09.01.29
REV.	DESCRIPTION	BY	DATE
DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	PH		
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D3874	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		FLOOR PROTECTOR	NTS
DATE	09.01.29	<small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



8 7 6 5 4 3 2 1

D

C

B

A



SECTION A-A
SCALE 2X

D3874-1 FLOOR PROTECTOR

RELEASED
9/25/04




NOTES:

- 1) MATERIAL: LEXAN 90318 (PROTECT-A-GLAZE), 0.118 THICK, 112-CLEAR (MLEXS.118-90318-08)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3874-1" USING VIBRATING STYLUS
- 7) WEIGHT: 1.5 lbs
- 8) TOOLING: THERMOFORM PER MOLD DT9474 PER DART QSI 022. TRIM PER MOLD
- 9) MINIMUM THICKNESS: 0.050" ON FLANGES AND 0.065" ELSEWHERE EXCEPT AS SHOWN

DESIGN	PAH	DART AEROSPACE LTD	
DRAWN	PAH	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D3874	SHEET 2 OF 3
APPROVED		TITLE	SCALE
DE APPR.		FLOOR PROTECTOR	NTS
DATE	09.01.29	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

8 7 6 5 4 3 2 1






SECTION B-B
SCALE 2X

D3874-2 FLOOR PROTECTOR

RELEASED
21/05/05

- NOTES:**
- 1) MATERIAL: LEXAN 90318 (PROTECT-A-GLAZE), 0.118 THICK, 112-CLEAR (MLEXS.118-90318-08)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3874-2" USING VIBRATING STYLUS
 - 7) WEIGHT: 1.5 lbs
 - 8) TOOLING: THERMOFORM PER MOLD DT9474 PER DART QSI 022. TRIM PER MOLD
 - 9) MINIMUM THICKNESS: 0.050" ON FLANGES AND 0.055" ELSEWHERE EXCEPT AS SHOWN

DESIGN	Per	DART AEROSPACE LTD	
DRAWN	Ref	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D3874	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		FLOOR PROTECTOR	NTS
DATE	09.01.29	<small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



DART AEROSPACE LTD		Work Order:	70376
Description: Floor Protector		Part Number:	D3874-2
Inspection Dwg: D3874	Rev: A	Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

THERMOFORMING SECTION

Description	Accept	Reject	Method of Inspection	Comments
Inside Radii less than <u>N/A</u>				
Shape Definition	✓			
Texture Retention	✓			
Material imperfections such as bumps, cracks, voids, scratching	✓			

Measured by: <u>Whe</u>	Date: <u>11/06/07</u>
-------------------------	-----------------------

TRIMMING SECTION

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.050	Min	<u>0.054</u>	✓		<u>Visual DL-01</u>	
0.065	Min	<u>0.091</u>	✓		<u>CAL TH-DT</u>	
0.5	Min	<u>0.523</u>	✓		<u>Visual DL-02</u>	
21.9	REF	<u>21.9</u>	✓		<u>TAPE DL-01</u>	

Measured by: <u>Whe</u>	Date: <u>11/06/07</u>
Audited by: <u>S</u>	Date: <u>11/06/07</u>
Prototype Approval: <u>N/A</u>	Date: <u>N/A</u>

Rev	Date	Change	Revised by	Approved
A	09.09.15	New Issue	KJ <u>[Signature]</u>	<u>[Signature]</u>

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE		By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
DATE	STEP	Description of NC Section A	Corrective Action		Section B		Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date				

NOTE: Date & initial all entries